Conforms to 1907/2006/EC - (EU) 2015/830

Issued: Dec. 1, 2016



# ECLIPSE™ NEUTRAL ALL PURPOSE CLEANER

### 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product Name: Eclipse Neutral All Purpose Cleaner Product Number: 301L5

1.2 RELEVENT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.

Intended Use: Water-based floor cleaner concentrate Uses Advised Against: Other than per labelled instructions.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Amano Pioneer Eclipse Corporation

P.O. Box 909 1 Eclipse Road Sparta, NC 28675

Telephone: +1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

#### 1.4 EMERGENCY TELEPHONE NUMBER

**For Chemical Emergency:** Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

## 2. HAZARDS IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE MIXTURE

This mixture has been classified according to EC 1272/2008. CLP Classification: Eye Damage/Irritation - Category 2

#### 2.2 LABEL ELEMENTS

Signal Word: Warning

Hazard pictogram(s):



Hazard Statement(s):

H319 Causes serious eye irritation.

Precautionary Statement(s):

P264 Wash hands thoroughly after handling.

P280 Wear eye protection.

P305+P351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

## 2.3 OTHER HAZARDS

No other hazards are known to the supplier

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1/3.2 SUBSTANCES/MIXTURES

		Weight %			CLP Classification	
Ingredient	EC No.		CAS No.	REACH-No.	Hazard Class Skin Irrit. 2	Hazard Statement(s)*
2-ethanolamine 2-dodecylbenzenesulfonate	248-024-2	1-5	26836-07-7	IONIC MIXTURE		H315, H318, H412

<sup>\*</sup>See section 16 for the full text of (EU) Hazard Statements



Conforms to 1907/2006/EC - (EU) 2015/830 Issued: Dec. 1, 2016

## ECLIPSE™ NEUTRAL ALL PURPOSE CLEANER

### FIRST AID MEASURES

#### 4.1 DECRIPTION OF FIRST AID MEASURES

Eye Contact: In case of eye contact, immediately rinse with clean water for 10-15 minutes. Seek medical advice if

irritation persists.

**Skin Contact:** Wash with plenty of soap and water. If irritation develops, seek medical attention.

Inhalation: Not expected to require first aid measures. If breathing is difficult: Remove subject to fresh air.

Ingestion: Rinse mouth and drink water. DO NOT induce vomiting unless directed to do so by medical personnel. Call a physician or poison control center immediately and show bottle or label.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

**Eye Contact:** May cause severe irritation.

**Skin Contact:** Not expected to present a significant skin hazard.

**Inhalation:** None expected under normal use.

**Ingestion:** May cause irritation to mouth, throat and stomach.

### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Dry chemical, water spray, foam, and carbon dioxide.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

Hazardous combustion products: None

## 5.3 ADVICE FOR FIRE FIGHTERS

Unusual fire and explosion hazards:

Materials can splatter above 100°C/212°F.

Special firefighting procedures:

No special firefighting procedures recommended.

# 6. ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Material may present a serious slipping hazard if spilled on a hard surface.

### 6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and public waters.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Neutralize spill area. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

### **6.4 REFERENCE TO OTHER SECTIONS:** Refer to Section 8 of the SDS - Personal precautions

Refer to Section 7 of the SDS - Precautions in handling and storage Refer to Section 13 of the SDS - Waste disposal recommendations

## 7. HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas.



Conforms to 1907/2006/EC - (EU) 2015/830

Issued: Dec. 1. 2016

## ECLIPSE™ NEUTRAL ALL PURPOSE CLEANER

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

7.3 SPECIFIC END USE(S): No information available.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS

The product itself is not tested on occupational exposure limits. If the product contains substances with occupational exposure limits, these are listed here. No listing means that the product does not contain any substances with occupational exposure limits.

#### 8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain

airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of

ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

Personal Protective Equipment (PPE)

Eye/Face Protection: Under normal use not required. In case of calamity: wear safety glasses or goggles (EN166).

Hand Protection: Chemical resistant gloves are recommended (EN 374).

Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure

to other substances.

Skin Protection: Not required under normal use. Respiratory Protection: Not required under normal use.

Other information: Do not eat, drink, or smoke when using this product. Avoid contact with skin and eyes.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: clear, light pink viscous liquid

Odor: lemon

Odor Threshold: No data available

pH: 8.5 - 10

Melting Point/Freezing Point:

Initial boiling point/boiling range:

Flash Point:

Evaporation Rate:

Upper/lower flammability/explosive limits:

Vapor Pressure:

Vapor Density:

No data available

No data available

No test data available

No test data available

No test data available

Relative Density:  $\pm$  1.014 g/cm<sup>3</sup> Solubility: miscible in water

Partition Coefficient (n-octanol/water): ± -1.22 (calculated value)
Auto Ignition temperature: No test data available
Decomposition Temperature: No test data available

Viscosity: 390 mPa.s

Explosive Properties: No test data available Oxidizing properties: No test data available

#### 9.2 OTHER INFORMATION

No additional information available



Conforms to 1907/2006/EC - (EU) 2015/830

Issued: Dec. 1, 2016

## ECLIPSE™ NEUTRAL ALL PURPOSE CLEANER

10. STABILITY AND REACTIVITY

10.1 REACTIVITY: Stable under normal conditions.10.2 CHEMICAL STABILITY: Stable under normal conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS: None known
 10.4 CONDITIONS TO AVOID: None known
 10.5 INCOMPATIBLE MATERIALS: None known

10.6 HAZARDOUS DECOMPOSITION PRODUCTS: None under normal conditions.

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY: Toxicity testing has not been completed on the mixture.

Based on criteria 3.1.3 from (EC) 1272/2008, the classification criteria are not met and this product is not toxic. Toxic components are mentioned in

section 3.

Component	CAS#	LD50 Oral	LD50 Dermal	LC50 Inhalation Rat (Dust/Mist - mg/l/4h)
2-ethanolamine 2- dodecylbenzenesulfonate	26836-07-7	> 5000 mg/kg bodyweight	> 4400 mg/kg bodyweight	data not available

**SKIN CORROSION/IRRITATION:** Based on available data, the classification criteria are not met.

**SERIOUS EYE DAMAGE/IRRITATION:** Causes serious eye irritation.

RESPIRATORY OR SKIN SENSITIZATION:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.


## 12. ECOLOGICAL INFORMATION

**12.1 TOXICITY:** Ecological testing has not been completed on the mixture. Based on criteria 4.1.3 of (EC) 1272/2008 this product is not dangerous to the environment. Components that are dangerous to the environment are mentioned in section 3.

Component	CAS#	LC50 fish 1	EC50 other aquatic organisms 1
2-ethanolamine 2- dodecylbenzenesulfonate	26836-07-7	1 mg/l Lepomis macrochirus (Bluegill)	12.2 - 17 mg/l EC50 Daphnia

#### 12.2 PERSISTANCE AND DEGRADABILITY:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.



Issued: Dec. 1, 2016

# **ECLIPSE™ NEUTRAL ALL PURPOSE CLEANER**

#### 12.3 BIOACCUMULATIVE POTENTIAL:

Mixture

Partition coefficient noctanol/water (Log Pow)

Eclipse Neutral All Purpose Cleaner

+/- -1.22 (calculated value)

**12.4 MOBILITY IN SOIL:**No additional information available.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT: Not applicable

12.6 OTHER ADVERSE EFFECTS: No additional information available.

**12.7 ADDITIONAL INFORMATION:** Mixture is not classified with Aquatic hazards.

### 13. DISPOSAL CONSIDERATIONS

## 13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations. EU Waste Catalogue: 20 01 30 - detergents other than those mentioned in 20 01 29

### 14. TRANSPORT INFORMATION

**14.1 UN NUMBER:** Product is not classified as hazardous for transport regulations.

14.2 UN PROPER SHIPPING NAME: None

14.3 TRANSPORT HAZARD CLASSES: None

14.4 PACKING GROUP: None

14.5 ENVIRONMENTAL HAZARDS: None

14.6 SPECIAL PRECAUTIONS: None

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MAPROL73/78 AND THE IBC CODE: N/A

Not intended to be carried in bulk tankers.

#### 15. REGULATORY INFORMATION

#### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE:

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Detergent Regulation: Labeling of contents

Component	%
anionic surfactants, non-ionic surfactants	< 5%
methylisothiazolinone	
benzisothiazolinone	
perfumes	

#### 15.2 CHEMICAL SAFETY ASSESSMENT:

No chemical safety assessment has been carried out.

### 16: OTHER INFORMATION

#### **ABBREVIATIONS:**

N/A - Not applicable

N/E - Not Established

N/L - Not Listed



Conforms to 1907/2006/EC - (EU) 2015/830

Issued: Dec. 1, 2016

# ECLIPSE™ NEUTRAL ALL PURPOSE CLEANER

### **FULL TEXT OF HAZARD STATEMENTS AND EUH-STATEMENTS:**

Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic Hazard, Category 3

Eye Dam. 1 - Serious eye damage/eye irritation, Category 1

Eye Irrit. 2 - Serious eye damage/eye irritation, Category 2

Skin Irrit. 2 - Skin corrosion/irritation, Category 2

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Classification according to Regulation (EC) No.1272/2008 [CLP]:				
Classification and procedure used to	derive the classification for	mixtures according to Regulation (EC) 1272/2008:		
Eye Irrit. 2	H319	Calculation method		

### **ISSUED BY:**

Chemical/R&D Department
Amano Pioneer Eclipse Corporation