



# SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 23 July 2020

Supersedes: 1 Jan 2018

## STA-BRITE 20™

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

Product Name: Sta-Brite 20 Low Maintenance Floor Coating Product Number: 130L5

#### 1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.  
Intended Use: Floor finish  
Uses Advised Against: Other than per labelled instructions.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Amano Pioneer Eclipse Corporation  
P.O. Box 909  
1 Eclipse Road  
Sparta, NC 28675  
Telephone: 1-336-372-8080  
Email: sds@pioneereclipse.com  
Internet: www.pioneereclipse.com

#### 1.4 EMERGENCY TELEPHONE NUMBER

**For Chemical Emergency:** Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night.  
Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE MIXTURE

This mixture has been classified according to EC 1272/2008.  
Classification: Skin sensitisation - Category 1

#### 2.2 LABEL ELEMENTS

Signal Word: Warning

Hazard pictogram:



Hazard Statement:  
H317 May cause an allergic skin reaction.

Precautionary Statements:

P261 Avoid breathing vapours.  
P280 Wear protective gloves.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

**2.3 OTHER HAZARDS** No other hazards are known to the supplier

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1/3.2 SUBSTANCES/MIXTURES

Ingredient	EC No.	Weight %	CAS No.	REACH-No.	CLP Classification	
					Hazard Class	Hazard Statement(s)*
Tributoxyethylphosphate	201-122-9	1 - < 5	78-51-3	01- 2119485835 -23	AquaChr 3	H412
Ammonium hydroxide	215-647-6	< 0.1	1336-21-6	01- 2119488876 -14	Acute Tox 4 Skin Corr 1B AquaAcute1	H302 H314 H400



# SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 23 July 2020

Supersedes: 1 Jan 2018

## STA-BRITE 20™

1-Methoxy-2-propanol	203-539-1	< 0.1	107-98-2	01- 2119457435 -35	Flam Liq 3 STOT SE 3	H226 H336
1,2-Benzisothiazol-3(2H)-one	220-120-9	< 0.1	2634-33-5	01- 2120761540 -60	AcuteTox 4 Skin Irrit 2 Eye Dam 1 Skin Sens 1 AquaAcute1	H302 H315 H318 H317 H400
2-Methylisothiazol-3(2H)-one	220-293-6	< 0.1	2682-20-4	01- 2120764690 -50	AcuteTox 3 AcuteTox 2 Skin Corr 1B Skin Sens 1A AquaChr 1	H301,H311 H330 H314 H317 H410

\*See section 16 for the full text of (EU) Hazard Statements

Ingredient	EC No.	CAS No.	Specific Concentration Limits
Ammonium hydroxide	215-647-6	1336-21-6	(5 ≤C≤ 100) STOT SE 3, H335
1,2-Benzisothiazol-3(2H)-one	220-120-9	2634-33-5	(0.05 ≤C≤ 100) Skin Sens 1, H317
2-Methylisothiazol-3(2H)-one	220-293-6	2682-20-4	(0.0015 ≤C≤ 100) Skin Sens 1A, H317

### SECTION 4: FIRST AID MEASURES

#### 4.1 DESCRIPTION OF FIRST AID MEASURES

- Eye Contact:** In case of eye contact, immediately rinse with clean water for 10-15 minutes. If eye irritation persists: Get medical advice/attention.
- Skin Contact:** Wash skin with mild soap and water.
- Inhalation:** If experiencing respiratory symptoms: Allow affected person to breathe fresh air.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Give water to drink. Seek medical advice immediately and show this container or label.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

This mixture is not expected to produce significant adverse health effects when recommended use instructions are followed.

- Eye Contact:** May cause slight irritation.
- Skin Contact:** None expected under normal use. Skin contact for extended time may cause slight irritation or
- Inhalation:** None expected under normal use.
- Ingestion:** May cause irritation of the linings of the mouth, throat and gastrointestinal tract.

#### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

In case of any doubt or when irritation occurs or persists seek medical advice. If medical advice is needed, have product container or label at hand.

### SECTION 5: FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

In case of fire: use dry chemical, water spray, foam, carbon dioxide.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

The product itself does not maintain combustion.

#### 5.3 ADVICE FOR FIRE FIGHTERS

Use fire fighting measures that suit the environment. As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Material spilled on hard surface can present a serious slipping/falling hazard.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.



# SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 23 July 2020

Supersedes: 1 Jan 2018

## STA-BRITE 20™

### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

### 6.4 REFERENCE TO OTHER SECTIONS:

Refer to Section 8 of the SDS - Personal precautions

Refer to Section 7 of the SDS - Precautions in handling and storage

Refer to Section 13 of the SDS - Waste disposal recommendations

## SECTION 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

### 7.3 SPECIFIC END USE(S): No information available

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

#### Workplace Exposure Limits:

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
1-Methoxy-2-propanal (CAS# 107-98-2)	ACGIH TLV	50	184	100	369	
	DE (TRGS 900)	-	-	100	370	2(l) DFG, EU,Y
	DK - At-Vejledning Stoffer og materialier- C.0.1	50	185	-	-	E
	EU (2000/39/EC)	100	375	150	568	Skin
	NO – Forskrift, best.nr. 704	50	180	-	-	H *
	NL - Grenswaarde TGG	-	375	-	563	H
	EH40	100	375	150	560	Sk
Ammonium hydroxide (CAS# 1336-21-6) Listed as Ammonia	EU (2000/39/EC)	20	14	50	36	
	NL - Grenswaarde TGG	-	14	-	-	

### 8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

#### Personal Protective Equipment (PPE)

Eye/Face Protection: Under normal use of this product, eye protection not necessary. If there is a risk of liquid being splashed: Wear eye protection.  
Safety glasses or goggles (EN166).

Hand Protection: Chemical resistant gloves are recommended. (EN374).

Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure to other substances.



## SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 23 July 2020

Supersedes: 1 Jan 2018

### STA-BRITE 20™

**Respiratory Protection:** Under normal use of this product, respiratory protection not necessary. Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-purpose combination filter. (E.g. - EN 14387- ABEK)

**Hygiene Measures:** Do not eat, drink or smoke when using this product.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** thin, milky white, opaque liquid  
**Odor:** slight ammonia  
**Odor Threshold:** No test data available  
**pH:** 9.0  
**Freezing Point:** ± -3.5 °C  
**Initial boiling point/boiling range:** ± 95 °C  
**Flash Point:** > 93°C  
**Evaporation Rate:** 0.4 (butylacetate = 1)  
**Flammability (solid, gas)** Not applicable to liquids  
**Upper/lower flammability/explosive limits:** No test data available  
**Vapor Pressure:** ± 24.6 hPa  
**Vapor Density:** No test data available  
**Relative Density:** 1.02 kg/L @ 20°C  
**Solubility:** miscible in water  
**Partition Coefficient (log Pow):** -0.46 (calculated value)  
**Auto Ignition temperature:** No test data available  
**Decomposition Temperature:** No test data available  
**Viscosity:** < 10mPa.s (dynamic)  
**Explosive Properties:** None  
**Oxidizing properties:** None

### 9.2 OTHER INFORMATION

**VOC:** 5.61%

## SECTION 10: STABILITY AND REACTIVITY

**10.1 REACTIVITY:** Stable under normal conditions.  
**10.2 CHEMICAL STABILITY:** Stable under normal conditions.  
**10.3 POSSIBILITY OF HAZARDOUS REACTIONS:** None known  
**10.4 CONDITIONS TO AVOID:** None known  
**10.5 INCOMPATIBLE MATERIALS:** Do not mix with other chemicals unless stated on the product label.  
**10.6 HAZARDOUS DECOMPOSITION PRODUCTS:** None known

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**ACUTE TOXICITY:** Toxicity testing has not been completed on the mixture.  
Based on criteria 3.1.3 from (EC) 1272/2008, the classification criteria are not met and this product is not toxic.

Component	CAS #	LD50 Oral	LD50 Dermal	LC50 Inhalation Rat (Dust/Mist - mg/l/4h)
Tributoxyethylphosphate	78-51-3	3000 mg/kg bodyweight	data not available	data not available
1-Methoxy-2-propanol	107-98-2	3739 mg/kg	> 2000 mg/kg	> 26315 mg/l/ (4 h)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	1020 mg/kg	4115 mg/kg	100 mg/l/4h
Ammonium hydroxide	1336-21-6	350 mg/kg	data not available	3310 mg/l/4h



# SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 23 July 2020

Supersedes: 1 Jan 2018

## STA-BRITE 20™

<b>SKIN CORROSION/IRRITATION:</b>	Based on available data, the classification criteria are not met.
<b>SERIOUS EYE DAMAGE/IRRITATION:</b>	Based on available data, the classification criteria are not met.
<b>RESPIRATORY OR SKIN SENSITIZATION:</b>	Classified as Skin sensitisation - Category 1. May cause an allergic skin reaction
<b>GERM CELL MUTAGENICITY:</b>	Based on available data, the classification criteria are not met.
<b>CARCINOGENICITY:</b>	Based on available data, the classification criteria are not met.
<b>REPRODUCTIVE TOXICITY:</b>	Based on available data, the classification criteria are not met.
<b>STOT-SINGLE EXPOSURE:</b>	Based on available data, the classification criteria are not met.
<b>STOT-REPEATED EXPSURE:</b>	Based on available data, the classification criteria are not met.
<b>ASPIRATION HAZARD:</b>	Based on available data, the classification criteria are not met.

### 11.2 POTENTIAL ADVERSE HEALTH EFFECTS

Effects and symptoms related to this mixture, if any, are listed in Section 4.2.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 TOXICITY: Ecological testing has not been completed on the mixture.

Based on criteria 4.1.3 of (EC) 1272/2008 this product is not dangerous to the environment. Components that are dangerous to the environment are mentioned below.

Component	CAS #	LC50 fish 1	EC50 other aquatic organisms	EC50 algae
Tributoxyethylphosphate	78-51-3	24 mg/l	75 mg/l - Daphnia	data not available
1-Methoxy-2-propanol	107-98-2	> 4600 mg/l	23300 mg/l	> 500 mg/l/72h
1,2-Benzisothiazol-3(2H)-one	2634-33-5	2.18 mg/l	2.94 mg/l - Daphnia	0.11 mg/l/72h
2-Methylisothiazol-3(2H)-one	2682-20-4	4.77 mg/kg	0.934 mg/l - Daphnia	0.0725 mg/l/72h
Ammonium hydroxide	1336-21-6	0.89 mg/l	110 mg/l - Daphnia	2.7 mg/l/72h

### 12.2 PERSISTENCE AND DEGRADABILITY:

Component	CAS #	Biodegradability
Tributoxyethylphosphate	78-51-3	Readily biodegradable
1-Methoxy-2-propanol	107-98-2	Readily biodegradable
Ammonium hydroxide	1336-21-6	Readily biodegradable

### 12.3 BIOACCUMULATIVE POTENTIAL:

Product / Component	CAS #	Partition coefficient n-octanol/water
Sta-Brite 20	mixture	-0.46 (calculated)
Tributoxyethylphosphate	78-51-3	3.75
1-Methoxy-2-propanol	107-98-2	1
1,2-Benzisothiazol-3(2H)-one	2634-33-5	0.7
2-Methylisothiazol-3(2H)-one	2682-20-4	-0.32
Ammonium hydroxide	1336-21-6	-0.54

### 12.4 MOBILITY IN SOIL:

Component	CAS #	Ecology - soil
1-Methoxy-2-propanol	107-98-2	Product absorbs little onto the soil

### 12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

Sta-Brite 20	This mixture does not meet the PBT criteria of REACH regulation, Annex XIII. This mixture does not meet vPvB criteria of REACH regulation, Annex XIII.
--------------	---

**12.6 OTHER ADVERSE EFFECTS:** None known



## SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 23 July 2020

Supersedes: 1 Jan 2018

**STA-BRITE 20™**

**12.7 ADDITIONAL INFORMATION:** No additional information available.

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations.  
EU Waste Catalogue: 16 03 05\* Organic wastes containing dangerous substances

### SECTION 14: TRANSPORT INFORMATION

Product is not classified as hazardous for transport regulations.

- 14.1 UN NUMBER:** None  
**14.2 UN PROPER SHIPPING NAME:** None  
**14.3 TRANSPORT HAZARD CLASSES:** None  
**14.4 PACKING GROUP:** None  
**14.5 ENVIRONMENTAL HAZARDS:** None  
**14.6 SPECIAL PRECAUTIONS:** None  
**14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MAPROL73/78 AND THE IBC CODE:** N/A

### SECTION 15: REGULATORY INFORMATION

#### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE

Contains no substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances  
Contains no substance subject to EU 649/2012  
Contains no substance subject to EU 2019/1021

**15.2 CHEMICAL SAFETY ASSESSMENT:** No information available.

### SECTION 16: OTHER INFORMATION

#### REVISION INFORMATION:

July 23, 2020 - Revisions § 2, 3, 4, 5, 6, 8, 9, 11, 12, 15 & 16 (Classification and supporting details)

#### ABBREVIATIONS:

N/A - Not applicable  
N/E - Not Established  
N/L - Not Listed

#### FULL TEXT OF HAZARD STATEMENTS:

H226 Flammable liquid and vapour.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.



## SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 23 July 2020

Supersedes: 1 Jan 2018

### STA-BRITE 20™

#### FULL TEXT OF PRECAUTIONARY STATEMENTS:

- EUH210 Safety data sheet available on request.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P321 Specific treatment (see the label).
- P362+P364 Take off contaminated clothing and wash it before reused.
- P501 Dispose of contents/container in accordance with local, regional and national regulations.

#### CLASSIFICATION ACCORDING TO EC 1272/2008:

Classification and procedure used to derive the classification for mixture:		
Skin Sens 1	H317	Calculation method

#### ISSUED BY:

Chemical/R&D Department  
Amano Pioneer Eclipse Corporation