

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 1/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Revive - Wood, Laminate & LVT Floor Cleaner Protector

Other means of identification:

Article No.:

AM925

UFI:

R6CR-54SY-7466-GA9A

Additional information:

The substance does not require registration according to Regulation (EC) No 1907/2006 [REACH].

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Cleaning products

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Relevant identified uses:

Product Categories [PC]

PC 35: Washing and cleaning products

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

AMTECH UK

Unit 2, Sovereign Business Park

Burgess Hill

RH 15 9TY West Sussex

GREAT BRITAIN

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 2/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard statements for health hazards

H319	Causes serious eye irritation.
------	--------------------------------

Supplemental hazard information: none

Precautionary statements

P102	Keep out of reach of children.
------	--------------------------------

Precautionary statements Prevention

P280	Wear protective gloves and eye protection/face protection.
------	--

Precautionary statements Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
--------------------	--

Special rules for supplemental label elements for certain mixtures:

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Special rules on packaging:

Child-resistant fastenings (EN/862/ISO 8317). Tactile warning according to EN/ISO 11683.

Additional information:

This substance meets the vPvB criteria of REACH, Annex XIII.

2.3. Other hazards

Adverse environmental effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

Cleaning agent, alkaline

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 108081-06-7 EC No.: 414-420-0 Index No.: 614-028-00-1 REACH No.: 01-0000016147-72-0001	Alcylglycosid C8 Eye Dam. 1 (H318) Danger Acute Toxicity Estimate ATE (oral) 2,001 g/m ³	1 – 3 weight-%
CAS No.: 112-34-5 EC No.: 203-961-6 Index No.: 603-096-00-8 REACH No.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol Eye Irrit. 2 (H319) Warning Acute Toxicity Estimate ATE (oral) 3,384 – 3,305 g/m ³	0 – 2 weight-%

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025


Print date: 24 Sep 2025

Version: 5

Page 3/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 141-43-5 EC No.: 205-483-3 Index No.: 603-030-00-8 REACH No.: 01-2119486455-28	2-aminoethanol Acute Tox. 4 (H332, H312, H302), Skin Corr. 1B (H314)  Danger Specific concentration limit (SCL) STOT SE 3; H335: C ≥ 5% Acute Toxicity Estimate ATE (oral) 700 – 1,089 g/m ³ ATE (dermal) 1,000 – 2,504 g/m ³ ATE (inhalation, vapour) 11 mg/L ATE (inhalation, dust/mist) 1.5 mg/L	0 – 1 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

not relevant

In case of skin contact:

Subsequently wash off with: Water and soap.

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Excess water.. Water spray. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

none The product itself does not burn.

Hazardous combustion products:

Carbon monoxide In case of fire: Gases/vapours toxic

5.3. Advice for firefighters

The product is not: Combustible

5.4. Additional information

none Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 4/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Remove persons to safety.

Protective equipment:

Wear protective gloves. Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Protective clothing. Personal protection equipment: see section 8

6.2. Environmental precautions

No special environmental measures are necessary. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Absorbing material, organic Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

No special handling advices are necessary. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special fire protection measures are necessary.

Measures to prevent aerosol and dust generation:

not applicable

Advices on general occupational hygiene

General health and safety measures. When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

No special measures are necessary. Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

none

Requirements for storage rooms and vessels:

No special measures are necessary.

Hints on storage assembly:

none

Storage class (TRGS 510, Germany): 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

No special fire protection measures are necessary.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 5/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

7.3. Specific end use(s)

Industrial sector specific solutions:

Maintenance cleaner, contains solvents, irritant

GISCODE:

GU80

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
WEL (GB)	2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67.5 mg/m ³) ② 15 ppm (101.2 mg/m ³)
IOELV (EU)	2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67.5 mg/m ³) ② 15 ppm (101.2 mg/m ³)
IOELV (EU)	2-aminoethanol CAS No.: 141-43-5 EC No.: 205-483-3	① 1 ppm (2.5 mg/m ³) ② 3 ppm (7.6 mg/m ³) ⑤ (may be absorbed through the skin)
WEL (GB) from 1 Oct 2007	2-aminoethanol CAS No.: 141-43-5 EC No.: 205-483-3	① 1 ppm (2.5 mg/m ³) ② 3 ppm (7.6 mg/m ³) ⑤ (may be absorbed through the skin)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route ③ Exposure time
2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	101.2 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects ③ 8 h
2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	83 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
2-aminoethanol CAS No.: 141-43-5 EC No.: 205-483-3	3.3 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects ③ 8 h
2-aminoethanol CAS No.: 141-43-5 EC No.: 205-483-3	1 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	1.1 mg/L	① PNEC aquatic, freshwater
2-aminoethanol CAS No.: 141-43-5 EC No.: 205-483-3	0.085 mg/L	① PNEC aquatic, freshwater

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 6/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No special measures are necessary.

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses Eye glasses with side protection

Skin protection:

By long-term hand contact Gloves with long cuffs . Butyl caoutchouc (butyl rubber) Breakthrough times and swelling properties of the material must be taken into consideration. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Respiratory protection:

none

Thermal hazards:

Non-combustible liquids.

Other protection measures:

none

8.2.3. Environmental exposure controls

No special environmental measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: blue

Oduor: fruity

flammability: No

Oduor threshold: not relevant

Safety relevant basis data

Parameter	Value	at ° C	① Method ② Remark
pH	8.5	20 °C	① DIN 19261
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	100 °C		② literature value
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	not applicable		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1.01 g/cm ³	20 °C	① DIN 12791
Bulk density	not applicable		
Water solubility	0 – 100 %	20 °C	② completely miscible
Dynamic viscosity	No data available		
Kinematic viscosity	No data available	40 °C	

9.2. Other information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 7/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

SECTION 10: Stability and reactivity

10.1. Reactivity

No known symptoms to date. The product itself does not burn.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

none

10.4. Conditions to avoid

Temperature > 50°C

10.5. Incompatible materials

none

10.6. Hazardous decomposition products

none In case of fire: Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Alcylglycosid C8	CAS No.: 108081-06-7	EC No.: 414-420-0
------------------	----------------------	-------------------

LD ₅₀ oral: 2,001 g/m ³

2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5	EC No.: 203-961-6
---------------------------	-------------------	-------------------

LD ₅₀ oral: 3,384 – 3,305 g/m ³ (rat)

2-aminoethanol	CAS No.: 141-43-5	EC No.: 205-483-3
----------------	-------------------	-------------------

LD ₅₀ oral: 700 – 1,089 g/m ³ (rat)

LD ₅₀ dermal: 1,000 – 2,504 g/m ³ (rat)

Acute oral toxicity:

There are no data available on the preparation/mixture itself.

Acute dermal toxicity:

There are no data available on the preparation/mixture itself.

Acute inhalation toxicity:

not relevant

Skin corrosion/irritation:

none

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

none

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

LC ₅₀ : 310 mg/L

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 8/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6
--

LC ₅₀ : 1,300 mg/L 4 d (fish)
--

EC ₅₀ : 100 mg/L 2 d

2-aminoethanol CAS No.: 141-43-5 EC No.: 205-483-3

LC ₅₀ : 349 mg/L 4 d

NOEC: 0.85 mg/L -∞ h (Daphnia magna)

Aquatic toxicity:

There are no data available on the preparation/mixture itself.

Sediment toxicity:

not relevant

Terrestrial toxicity:

There are no data available on the preparation/mixture itself.

Effects in sewage plants:

The organic part of the product is biodegradable.

12.2. Persistence and degradability

Polyacrylatdispersion CAS No.: 11116-35-1
--

Biodegradation: Yes, rapidly

Alcylglycosid C8 CAS No.: 108081-06-7 EC No.: 414-420-0
--

Biodegradation: Yes, rapidly

2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6
--

Biodegradation: Yes, rapidly

2-aminoethanol CAS No.: 141-43-5 EC No.: 205-483-3

Biodegradation: Yes, rapidly

Dequest 6004

Biodegradation: Yes, rapidly

Biodegradation:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Polyacrylatdispersion CAS No.: 11116-35-1
--

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII
--

Alcylglycosid C8 CAS No.: 108081-06-7 EC No.: 414-420-0
--

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII
--

2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6
--

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII
--

2-aminoethanol CAS No.: 141-43-5 EC No.: 205-483-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII
--

Dequest 6004

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII
--

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 9/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 30	detergents other than those mentioned in 20 01 29
20 03 01	mixed municipal waste

Waste code packaging

20 01 39	plastics
----------	----------

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Non-contaminated packages may be recycled. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

All ingredients of this mixture are (pre)registered according to REACH regulation.

Other regulations (EU):

VOC value 0 (0%)

15.1.2. National regulations

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Sep 2025

Print date: 24 Sep 2025

Version: 5

Page 10/10



Revive - Wood, Laminate & LVT Floor Cleaner Protector

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1. Indication of changes

4.Revision

16.2. Abbreviations and acronyms

For abbreviations and acronyms, see table on the eSDScom website

16.3. Key literature references and sources for data

ECHA

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

16.6. Training advice

Draw up and observe skin protection program.

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.